

## DATA SHEET

Cat No: KTISER

**Product: Pooled Normal Human Serum**

Anticoagulant: Not Applicable

Lot: Sample

Quantity: Select Option

Volume: Select Option

Age: Not Applicable

Storage: -20°to -80° Celsius

Gender: Not Applicable

Notes: Not Applicable

Race: Not Applicable

Description: Kreative Technolabs Pooled Normal Human Serum is **derived** from whole blood which was obtained from FDA-approved facilities. The blood sample is allowed to clot, centrifuged, and the serum is isolated.

The material undergoes viral testing, and the final product is aliquoted to customer specifications. All lots have been tested by an FDA-approved method and found to be negative for Human Immunodeficiency Virus RNA (HIV-1 RNA), Antibodies to Human Immunodeficiency Virus (Anti-HIV 1/2), Antibodies to Hepatitis C Virus (HCV), Hepatitis C Virus RNA (HCV RNA), non- reactive for Hepatitis B Surface Antigen (HbsAg), and Non-reactive by a screening test for syphilis.

Expiration: Based upon industry standards, serum is stable for 3 years from the date of manufacture. Please see product label for specific date of expiration. Pooled Normal Human Serum should be stored at -20° to -80° Celsius.

Handling: This material is sold for in-vitro use only in manufacturing and research and is not suitable for human use. It is the responsibility of the user to undertake sufficient verification and testing to determine the suitability of each product's application. The statements herein are offered for informational purposes only, and are intended to be used solely for your consideration, investigation, and verification.

**For In-Vitro Diagnostic Use. Not For Human Or Animal Consumption**